## Purdue University Veterinary Technology Distance Learning Program

Lynn Hall, Purdue University, West Lafayette, Indiana 47907

## CLINICAL MENTORSHIP SITE FACILITY REQUIREMENT AGREEMENT - VM 21700

In order for a veterinary care facility to participate as a Clinical Mentorship site for VM 21700 LA and Equine Diagnostic Imaging Clinical Mentorship, the facility must be equipped with the following:

	agnostic Imaging for Veterinary Technicians, Han/Hurd, second edition
(textbook)	waster) / OOk//s (or areater) was a specific (so who he low outs)
	reater) / 80kVp (or greater) x-ray machine (portable low-output) ortable x-ray machine
☐ Stand for po	
□ 0.5mm lead	
	I gloves that provide 360 <sup>0</sup> coverage of hands (2)
	eft identification markers and oblique markers
□ Dosimetry -	
☐ Cassette ho	
☐ Hoof picks	
☐ Wooden blo	
	neasure focal film distance
	ographic capability
	OR
	ographic capability
	<ul> <li>☐ If using analog (film and screen) radiography:</li> <li>☐ Intensifying screens with compatible film (no specifics)</li> </ul>
	<ul> <li>□ Automatic processor with chemicals</li> </ul>
	□ Safelight with appropriate filter and bulb
	☐ Single bank view box
I certify that the	veterinary care facility  Name of Veterinary Hospital or Facility
has the equipm	nent that I have indicated by checking the boxes above; and that such
equipment and	materials are available to the VTDL Student
- 4-4-4	materials are available to the VTDL Student
for use in the c	ompletion of the VM 21700 Clinical Mentorship.
I certify that th	nis facility is in compliance with current OSHA (Occupational Safety and
	stration) and any state or local regulations, requirements, or laws regarding
workplace saf	ety.
Printed Name	of Facility Veterinarian:
Signature:	Date
This form must be	signed and returned to the student, submitted and approved by Purdue prior to beginning of the Clinical
Mentorship VM 217	700.

Purdue University is an equal access/equal opportunity/affirmative action university.